

NEW

High performance

- * U_i : 1,000V
- * U_{imp} : 8kV
- * $I_{cs} = 100\% I_{cu}$

Approvals and Certifications



Mã hàng	In(A)	Icu(kA)	Đơn giá(VND)
MCCB 2P - Chỉnh dòng nhiệt (Adj. thermal) 30 ~ 250AF (0.8-0.9-1*In), 400 ~ 800AF (0.63-0.8-1*In)			
HGM50E 2P (F)	16-20-25-32-40-50A	35kA	530,000
HGM50S 2P (F)	16-20-25-32-40-50A	50kA	560,000
HGM100E 2P (F)	63-75-100A	35kA	670,000
HGM100S 2P (F)	63-75-100A	50kA	700,000
HGM125E 2P (F)	75-100-125A	50kA	830,000
HGM250E 2P (F)	125~250A	50kA	1,380,000
HGM400E 2P (F)	250/300/350/400A	50kA	3,360,000

MCCB 3P - Chỉnh dòng nhiệt (Adj. thermal) 30 ~ 250AF (0.8-0.9-1*In), 400 ~ 800AF (0.63-0.8-1*In)			
HGM50E 3P (F)	16-20-25-32-40-50A	16kA	635,000
HGM50S 3P (F)	16-20-25-32-40-50A	20kA	650,000
HGM50H 3P (F)	16-20-25-32-40-50A	38kA	770,000
HGM100E 3P (F)	63-75-100A	16kA	840,000
HGM100H 3P (F)	63-75-100A	26kA	900,000
HGM100L 3P (F)	63-75-100A	30kA	950,000
HGM125E 3P (F)	75-100-125A	20kA	870,000
HGM125S 3P (F)	75-100-125A	26kA	900,000
HGM125H 3P (F)	75-100-125A	38kA	1,090,000
HGM250S 3P (F)	125~250A	26kA	1,650,000
HGM250H 3P (F)	125~250A	38kA	1,800,000
HGM250L 3P (F)	125~250A	55kA	2,070,000
HGM400E 3P (F)	250-300-350-400A	45kA	4,050,000
HGM400S 3P (F)	250-300-350-400A	65kA	4,400,000
HGM400H 3P (F)	250-300-350-400A	85kA	4,600,000
HGM630E 3P (F)	500-630	45kA	8,050,000
HGM630S 3P (F)	500-630	65kA	9,500,000
HGM630H 3P (F)	500-630	85kA	9,600,000
HGM800S 3P (F)	700-800A	65kA	9,600,000
HGM800H 3P (F)	700-800A	85kA	10,200,000

MCCB 3P - Chỉnh dòng nhiệt (thermal) và dòng ngắn mạch (magnetic)			
			**
			**

MCCB 3P - Chỉnh dòng điện từ (Electronic)			
			**
			**

Mã hàng	In(A)	Icu(kA)	Đơn giá(VND)
MCCB 4P - Chỉnh dòng nhiệt (Adj. thermal) 30 ~ 250AF (0.8-0.9-1*In), 400 ~ 800AF (0.63-0.8-1*In)			
HGM60E 4P (F)	16~63A	16kA	1,010,000
HGM60S 4P (F)	16~63A	20kA	1,220,000
HGM60H 4P (F)	16~63A	26kA	1,330,000
HGM60L 4P (F)	16~63A	30kA	1,440,000
HMG100S 4P (F)	75-100A	20kA	1,350,000
HMG100H 4P (F)	75-100A	26kA	1,400,000
HMG100L 4P (F)	75-100A	30kA	1,500,000
HMG125E 4P (F)	100-125A	20kA	1,850,000
HMG125H 4P (F)	100-125A	38kA	1,900,000
HMG250E 4P (F)	125~250A	20kA	2,750,000
HMG250S 4P (F)	125~250A	26kA	2,850,000
HMG250H 4P (F)	125~250A	38kA	3,050,000
HMG400E 4P (F)	250-300-350-400A	45kA	5,800,000
HMG400S 4P (F)	250-300-350-400A	65kA	6,000,000
HMG400H 4P (F)	250-300-350-400A	85kA	6,200,000
HMG630E 4P (F)	500-630	45kA	10,500,000
HMG630S 4P (F)	500-630	65kA	11,500,000
HMG630H 4P (F)	500-630	85kA	12,000,000
HMG800S 4P (F)	700-800A	65kA	12,000,000
HMG800H 4P (F)	700-800A	85kA	13,000,000

Phụ kiện MCCB			
Aux. Switch	AUX 10GM C1 (HMG30~250)		250,000
	AUX 40GM (HMG400/ 800)		350,000
Alarm Switch	ALT 10GM (HMG30~250)		250,000
	ALT 40GM (HMG400/ 800)		350,000
Shunt Trip (*)	SHT 10GM (HMG30~250)		450,000
	SHT 40GM (HMG400/ 800)		690,000
Under Voltage Trip (*)	UVT 10GM (HMG30~250)		1,200,000
	UVT 40GM (HMG400/ 800)		1,200,000
Tay xoay (Handle)	TFG/ TFH		(**)
Motor (MOT)	MOT		(**)
Nắp đầu cực	TCF		(**)
Tám chắn pha	TQQ		(**)
Khoá (Padlock)	PLD		(**)
Thanh cái (Bus bar)	TBB 40GM 3S cho HMG400		(**)
	TBB 80GM 3S cho HMG630/ 800		(**)

(*) AC200~230V, AC380~415V

(**) Quý khách vui lòng liên hệ Nhà cung cấp

Mã hàng	In(A)	Icu (kA)	Đơn giá(VNĐ)
APTOMAT- MCB (Loại thanh cái)			
HiBD63-N (1P)	6~63A	6	61,000
HiBD63-N (2P)	6~63A	6	135,000
HiBD63-N (3P)	6~63A	6	220,000
HiBD63-N (4P)	6~63A	6	360,000
HiBD63-N (1P+N)	6~63A	6	135,000
HiBD63-N (3P+N)	6~63A	6	360,000
HiBD63h (1P)	6~63A	10	85,000
HiBD63h (2P)	6~63A	10	190,000
HiBD63h (3P)	6~63A	10	315,000
HiBD125 (1P)	63~125A	10	165,000
HiBD125 (2P)	63~125A	10	365,000
HiBD125 (3P)	63~125A	10	595,000
HiBD125 (4P)	63~125A	10	990,000

APTOMAT- MCCB 2P (Loại hộp đúc)			
HiBC32S (ko vỏ)	10-15-20-30A	1.5	71,000
UDB30S 2P	10-15-20-30A	5	360,000
UDB50S 2P	40-50A	5	420,000
UAB50C 2P	40-50A	10	530,000
UAB60C 2P	60A	10	600,000
UAB100C 2P	75-100A	25	630,000
UCB250R 2P	125~250A	35	1,680,000
UCB250S 2P	125~250A	50	1,750,000
UCB400R 2P	250-300-350-400A	35	3,500,000

APTOMAT- MCCB 3P (Loại hộp đúc)			
UDB30S 3P	10-15-20-30A	2.5	475,000
UDB50S 3P	40-50A	2.5	498,000
UAB30C 3P	10-15-20-30A	7.5/5	720,000
UAB30R 3P	10-15-20-30A	14/10	735,000
UAB50C 3P	40-50A	7.5/5	720,000
UAB50R 3P	40-50A	14/10	735,000
UAB60C 3P	60A	7.5/5	750,000
UAB60R 3P	60A	14/10	790,000
UAB100C 3P	75-100A	14/10	800,000
UAB100R 3P	75-100A	25	900,000
UCB50R 3P	40-50A	30/25	1,050,000
UCB100R 3P	75-100-125A	30/25	1,250,000
UCB100S 3P	75-100-125A	42/36	1,350,000
UCB250S 3P	125~250A	35/25	1,800,000
UCB250H 3P	125~250A	42	1,950,000
UCB400R 3P	250-300-350-400A	30	3,980,000
UCB400S 3P	250-300-350-400A	42	4,050,000
UCB400H 3P	250-300-350-400A	65	4,400,000

APTOMAT- MCCB 3P, Chỉnh dòng nhiệt (0.8~1)In			
UCB250S 3P (F)	125~250A	35/25	2,100,000
UCB400S 3P (F)	250-300-350-400	42	4,550,000
UCB400H 3P (F)	250-300-350-400	65	4,600,000
UCB630R 3P (F)	500-630A	45	8,000,000
UCB630S 3P (F)	500-630A	65	9,500,000
UCB630H 3P (F)	500-630A	85	9,600,000
UCB800R 3P (F)	700-800A	45	8,500,000
UCB800S 3P (F)	700-800A	65	9,980,000
UCB800H 3P (F)	700-800A	85	10,080,000

Mã hàng	In(A)	Icu (kA)	Đơn giá(VNĐ)
APTOMAT RCBO (đồng hồ 10/ 30/ 100/ 300/ 500mA)			
HiRO40 (1P+N)	10-16-20-25-32-40A	4.5	468,000
APTOMAT RCCB (đồng hồ 10/ 30/ 100/ 300/ 500mA)			
HiRC63 2PG	16 -25 -32 -40 -63A		490,000
HiRC63 4PG	16 -25 -32 -40 -63A		590,000
SWITCH DISCONNECTOR			
HiSD125 1P	16 - 32 - 63A		60,000
	100 - 125A		95,000
HiSD125 2P	16 - 32 - 63A		120,000
	100 - 125A		190,000
HiSD125 3P	16 - 32 - 63A		190,000
	100 - 125A		300,000
HiSD125 4P	16 - 32 - 63A		250,000
	100 - 125A		395,000

APTOMAT- MCCB 3P, Chỉnh dòng Electronic			
UPB400S 3P	200~400A	85	12,000,000
UPB400H 3P	200~400A	100	12,500,000
UPB630S 3P	320~630A	85	13,000,000
UPB630H 3P	320~630A	100	13,800,000
UCB1000S 3P	505~1000A	100	22,500,000
UCB1250S 3P	630~1250A	100	24,500,000
UCB1600S 3P	640~1600A	65	48,500,000

APTOMAT- MCCB 4P (Loại hộp đúc)			
UAB50C 4P	10-15-20-30-40-50A	7.5/5	880,000
UAB60C 4P	60A	7.5/5	910,000
UAB100C 4P	75-100A	14/10	960,000
UCB100R 4P	75-100A	30/25	1,650,000
UCB250R 4P	125~250A	25/18	2,450,000
UCB400R 4P	250-300-350-400A	30	5,400,000
UCB630R 4P (F)	500-630A	45	9,900,000
UCB800R 4P (F)	700-800A	45	10,800,000
UCB250S 4P	125~250A	35/25	2,700,000
UCB400S 4P	250-300-350-400A	42	5,850,000
UCB630S 4P (F)	500-630A	65	11,500,000
UCB800S 4P (F)	700-800A	65	12,980,000
UCB1000S 4P	505~1000A	100	29,000,000
UCB1250S 4P	630~1250A	100	33,500,000

PHỤ KIỆN MCCB		
Tiếp điểm (AUX hoặc ALT)	UAB30C~100C, UAB30R~60R	250,000
	UCB250R/S/N	250,000
	UCB400~800	375,000
	UCB1000~1250S/L	720,000
Shunt Trip (SHT)	SHT 10A_	450,000
	SHT 20C_	450,000
	SHT 46D_	690,000
	SHT 120NE_	1,500,000
Under Voltage Trip (UVT)	UVT 10A_	1,200,000
	UVT 20C_	1,200,000
	UVT 46D_	750,000
	UVT 120NE_	750,000
BUS BAR	TBB4S 3 (UCB400R/S/H/L)	1,080,000
	TBB6S 3 (UCB630R/S/H/L)	1,800,000
	TBB8S 3 (UCB800R/S/H/L)	2,100,000

Mã hàng	In(A)	Công suất	Đơn giá(VNĐ)
CONTACTOR (AC Magnetic Contactor, 380VAC, 50Hz)			
UMC9 11NS X ---	9A(1a1b)	4KW	265,000
UMC12 11NS X ---	12A(1a1b)	5.5KW	285,000
UMC18 11NS X ---	18A(1a1b)	7.5KW	370,000
UMC25 11NS X ---	25A(1a1b)	11KW	440,000
UMC32 22NS X ---	32A(2a2b)	15KW	620,000
UMC40 22NS X ---	40A(2a2b)	18.5KW	730,000
UMC50 22NS X ---	50A(2a2b)	22KW	850,000
UMC65 22NS X ---	65A(2a2b)	30KW	1,100,000
UMC75 22NS X ---	75A(2a2b)	37KW	1,500,000
UMC85 22NS X ---	85A(2a2b)	45KW	1,730,000
UMC100 22NS X ---	100A(2a2b)	55KW	1,980,000
CONTACTOR (AC/DC Magnetic Contactor)			
UMC115 22NS F ---	115A(2a2b)	60KW	2,050,000
UMC130 22NS F ---	130A(2a2b)	65KW	2,650,000
UMC150 22NS F ---	150A(2a2b)	75KW	2,950,000
UMC185 22NS F ---	185A(2a2b)	90KW	4,200,000
UMC225 22NS F ---	225A(2a2b)	132KW	4,900,000
UMC265 22NS F ---	265A(2a2b)	147KW	6,400,000
UMC300 22NS F ---	300A(2a2b)	160KW	6,950,000
UMC400 22NS F ---	400A(2a2b)	220KW	9,800,000
UMC500 22NS F ---	500A(2a2b)	250KW	14,500,000
UMC630 22NS F ---	630A(2a2b)	330KW	16,800,000
UMC800 22NS F ---	800A(2a2b)	400KW	22,500,000

RƠ LE NHIỆT	Dải dòng	Đơn giá (VNĐ)
UTH12H (2 Elements, cho UMC9 & UMC12)	0.12 - 0.18A, 0.18 - 0.26A, 0.25 - 0.35A, 0.34 - 0.5A, 0.5 - 0.7A, 0.6 - 0.9A, 0.8 - 1.2A, 1.1 - 1.6A, 1.5 - 2.1A, 2 - 3A, 2.8 - 4.2A, 3 - 5A, 4 - 6A, 5.6 - 8A, 6 - 9A, 8 - 12A	220,000
UTH32H (2 Elements, cho UMC18~UMC32)	6 - 9A, 8 - 12A, 12 - 18A, 15 - 22A, 17 - 25A, 22 - 32A	280,000
UTH65H (2 Elements, cho UMC40~UMC65)	7A - 10A, 8 - 12A, 12 - 18A, 15 - 22A, 17 - 25A, 28 - 40A, 34 - 50A, 45 - 65A	480,000
UTH100H (2 Elements, cho UMC75~UMC100)	34 - 50A, 45 - 65A, 52 - 75A, 59 - 85A, 70-100A	600,000
UTH150K (3 Element, cho UMC115~UMC150)	48 - 80A, 69 - 115A, 78 - 130A, 90 - 150A	1,650,000
UTH265K (3 Element, cho UMC185~UMC265)	90 - 150A, 111 - 185A, 135 - 225A, 159 - 265A	2,150,000
UTH400K (3 Element, cho UMC300, 400)	135 - 225A, 159 - 265A, 180 - 300A, 240 - 400A	3,050,000
UTH800K (3 element, cho UMC500)	300 - 500A	3,500,000
UTH800K (3 element, cho UMC630, 800)	378 - 630A, 480 - 800A	6,000,000

Mã hàng	Tiếp điểm	Đơn giá (VNĐ)
TIẾP ĐIỂM PHỤ		
UAB 02NS	2NC/ 1NO+1NC/ 2NO Cài trên, cho UMC9-UMC100, UMX, & UMT	85,000
UAB 11NS		
UAB 20NS		
UAB 04NS	4NO, 4NC, 1NO+3NC, 2NO+2NC, 3NO+1NC, (Cài trên, cho UMC9-UMC100, UMX, & UMT)	150,000
UAB 13NS		
UAB 22NS		
UAB 31NS		
UAB 40NS		
UAL65 11NS	1NO+1NC, Cài bên, cho UMC9-UMC65	85,000
UAL100 11NS	1NO+1NC, Cài bên, cho UMC75-UMC100	120,000
UAL400 11NS	1NO+1NC, Cài bên, cho UMC115-UMC800	140,000
KHÓA LIÊN ĐỘNG		
UTL65	UMC9 ~ UMC65	150,000
UTL100	UMC75 ~ UMC100	180,000
UTL265	UMC115 ~ UMC265	250,000
UTL400	UMC300 ~ UMC800	900,000

CONTROL RELAY (4b/ 1a3b/ 2a2b/ 3a1b/ 4a)		
UMX--NS X220	AC220V	430,000
UMT--NS D110	DC110V	580,000

CUỘN HÚT CONTACTOR		
UMCOL12 X---	AC220V 50Hz, cho UMC9-UMC12, UMX	90,000
UMCOL32 X---	AC220V 50Hz, cho UMC18-UMC32	90,000
UMCOL65 X---	AC220V 50Hz, cho UMC40-UMC65	140,000
UMCOL100 X---	AC220V 50Hz, cho UMC75-UMC100	200,000
UMCOL150 F---	AC/DC220V, cho UMC115-UMC150	900,000
UMCOL265 F---	AC/DC220V, cho UMC185-UMC265	1,500,000
UMCOL400 F---	AC/DC220V, cho UMC300-UMC500	2,000,000

Thiết bị chống sốc điện (SURGE ABSORBER)		
URC32 Y ---	AC24V-48V, AC110V-220V, AC240V-380V (for UMC9~UMC32)	150,000
URC100 Y ---	AC24V-48V, AC110V-220V, AC240V-380V (for UMC40~UMC100)	150,000

Mã hàng	In (A)	Icu(kA)	Đơn giá(VND)
MÁY CẮT KHÔNG KHÍ - ACB 3P UAS type, loại cố định			
UAS06A 3H M2C2S250T	630A	65	41,500,000
UAS08A 3H M2C2S250H	800A	65	42,500,000
UAS10A 3H M2C2S250J	1000A	65	44,000,000
UAS12A 3H M2C2S250K	1250A	65	46,000,000
UAS16A 3H M2C2S250L	1600A	65	48,000,000
UAS20B 3H M2C2S250M	2000A	85	58,000,000
UAS25B 3H M2C2S250N	2500A	85	66,000,000
UAS32B 3H M2C2S250P	3200A	85	76,500,000

Mã hàng	In (A)	Icu(kA)	Đơn giá(VND)
MÁY CẮT KHÔNG KHÍ - ACB 3P UAS type, loại ngăn kéo			
UAS06A 3B M2C2S250T	630A	65	56,500,000
UAS08A 3B M2C2S250H	800A	65	57,000,000
UAS10A 3B M2C2S250J	1000A	65	59,000,000
UAS12A 3B M2C2S250K	1250A	65	63,500,000
UAS16A 3B M2C2S250L	1600A	65	65,000,000
UAS20B 3B M2C2S250M	2000A	85	77,000,000
UAS25B 3B M2C2S250N	2500A	85	85,000,000
UAS32B 3B M2C2S250P	3200A	85	96,000,000

MÁY CẮT KHÔNG KHÍ - ACB 3P UAN type, loại cố định			
UAN06A 3H M2C2S250T	630A	85	45,500,000
UAN08A 3H M2C2S250H	800A	85	46,500,000
UAN10A 3H M2C2S250J	1000A	85	47,000,000
UAN12A 3H M2C2S250K	1250A	85	49,000,000
UAN16A 3H M2C2S250L	1600A	85	52,000,000
UAN20A 3V M2C2S250M	2000A	85	56,000,000
UAN20B 3H M2C2S250M	2000A	100	63,000,000
UAN25B 3H M2C2S250N	2500A	100	74,000,000
UAN32B 3H M2C2S250P	3200A	100	95,000,000
UAN40B 3H M2C2S250Q	4000A	100	101,000,000
UAN40C 3H M2C2S250Q	4000A	100	130,000,000
UAN50C 3H M2C2S250S	5000A	100	144,000,000

MÁY CẮT KHÔNG KHÍ - ACB 3P UAN type, loại ngăn kéo			
UAN06A 3B M2C2S250T	630A	85	62,500,000
UAN08A 3B M2C2S250H	800A	85	63,500,000
UAN10A 3B M2C2S250J	1000A	85	64,500,000
UAN12A 3B M2C2S250K	1250A	85	69,500,000
UAN16A 3B M2C2S250L	1600A	85	72,500,000
UAN20A 3B M2C2S250M	2000A	85	77,500,000
UAN20B 3B M2C2S250M	2000A	100	86,500,000
UAN25B 3B M2C2S250N	2500A	100	96,800,000
UAN32B 3B M2C2S250P	3200A	100	129,000,000
UAN40B 3B M2C2S250Q	4000A	100	131,000,000
UAN40C 4B M2C2S250Q	4000A	100	160,000,000
UAN50C 3B M2C2S250S	5000A	100	168,000,000

MÁY CẮT KHÔNG KHÍ -ACB 4P UAS type, loại cố định			
UAS06A 4H M2C2S250T	630A	65	48,000,000
UAS08A 4H M2C2S250H	800A	65	48,500,000
UAS10A 4H M2C2S250J	1000A	65	49,000,000
UAS12A 4H M2C2S250K	1250A	65	51,500,000
UAS16A 4H M2C2S250L	1600A	65	53,000,000
UAS20B 4H M2C2S250M	2000A	85	66,500,000
UAS25B 4H M2C2S250N	2500A	85	72,000,000
UAS32B 4H M2C2S250P	3200A	85	81,000,000

MÁY CẮT KHÔNG KHÍ - ACB 4P UAS type, loại ngăn kéo			
UAS06A 4B M2C2S250T	630A	65	66,000,000
UAS08A 4B M2C2S250H	800A	65	67,800,000
UAS10A 4B M2C2S250J	1000A	65	68,800,000
UAS12A 4B M2C2S250K	1250A	65	74,000,000
UAS16A 4B M2C2S250L	1600A	65	76,800,000
UAS20B 4B M2C2S250M	2000A	85	91,000,000
UAS25B 4B M2C2S250N	2500A	85	99,000,000
UAS32B 4B M2C2S250P	3200A	85	108,000,000

MÁY CẮT KHÔNG KHÍ - ACB 4P UAN type, loại cố định			
UAN06A 4H M2C2S250T	630A	85	53,000,000
UAN08A 4H M2C2S250H	800A	85	53,500,000
UAN10A 4H M2C2S250J	1000A	85	54,000,000
UAN12A 4H M2C2S250K	1250A	85	57,000,000
UAN16A 4H M2C2S250L	1600A	85	58,500,000
UAN20A 4V M2C2S250M	2000A	85	65,000,000
UAN20B 4H M2C2S250M	2000A	100	77,000,000
UAN25B 4H M2C2S250N	2500A	100	90,000,000
UAN32B 4H M2C2S250P	3200A	100	112,000,000
UAN40C 4H M2C2S250Q	4000A	100	160,000,000
UAN50C 4H M2C2S250S	5000A	100	188,000,000

MÁY CẮT KHÔNG KHÍ - ACB 4P UAN type, loại ngăn kéo			
UAN06A 4B M2C2S250T	630A	85	72,000,000
UAN08A 4B M2C2S250H	800A	85	73,000,000
UAN10A 4B M2C2S250J	1000A	85	75,000,000
UAN12A 4B M2C2S250K	1250A	85	79,000,000
UAN16A 4B M2C2S250L	1600A	85	81,000,000
UAN20A 4B M2C2S250M	2000A	85	89,000,000
UAN20B 4B M2C2S250M	2000A	100	100,500,000
UAN25B 4B M2C2S250N	2500A	100	112,800,000
UAN32B 4B M2C2S250P	3200A	100	140,000,000
UAN40C 4B M2C2S250Q	4000A	100	199,000,000
UAN50C 4B M2C2S250S	5000A	100	245,000,000

Phụ kiện ACB:	
Bộ bảo vệ thấp áp (UANS V_)	
UVT Coil	1,250,000
UVT Time Delay Controller	2,990,000

Phụ kiện ACB:	
Khóa liên động -Mechanical Interlock (UANS _)	
Liên động 2 ACB (cho A, B frame)	18,000,000
Liên động 3 ACB (cho A, B frame)	30,000,000